STACKERS

F

 Ê

STC

Han.



WORLD CLASS

The frame of an ATC Quest Stacker is soundly built by our highly trained welders. The floor, sidewalls and ceiling are securely welded together, creating one integrated substructure of weather resistant aluminum or undercoated steel.

We've invested in the highest quality BuildPro[®] modular fixed weld tables, allowing for the most square and structurally sound frame in the industry.

ATC TILT DECK STACKER LIFT

INSERTS

You can option two floor inserts which gives you the full deck for cargo. The inserts can be removed for easy access to the underside of a car.

TILT DECK

Our deck can be tilted to help low clearance cars easily transition from the rear ramp to the deck.

LOW PROFILE

Our narrow vertical posts are solidly built and take up less interior space allowing more room in the trailer for cargo.

• TIE DOWNS

The deck comes with four 6000# swivel D-rings and loads of airline track. The tie down configurations are endless and can handle any shape of cargo.

INTEGRATED FOLD-UP TRANSITION FLAP

No more heavy removable ramps that need to be stored and strapped to the wall taking up valuable wall space.



MILL FINISH Why shouldn't the underside of

your lift deck look good too?

• LIGHTING

LED tape lighting lines the underside of the deck giving you added light when you're working on your car.

LENGTH OPTIONS

Not every car is the same length. Our stacker deck has three lengths to choose from: 14', 16' or 18'.

MORE ROOM

The deck was designed to increase the available space underneath. It's only 3.5 inches thick, allowing taller cargo and vehicles to be loaded.





SUE

V

R

QUEST 57305

9.9

OUEST ST205

- **Full Perimeter Frame** 12" Extended Tongue All Tube Construction Beavertail 111 16" O/C Floor Crossmembers \geq 16" 0/C Wall Supports 16" O/C Roof Crossmembers \triangleleft 10' Interior Height Torsion Axles - EZ Lube - With Brakes Spread Axle Design With Fenderettes 11 HD Stabilizer Jacks 7-Way Plug 2-5/16" Heavy Duty Flat Nose Coupler Radial Tires on Aluminum Wheel Black Coin TPO Floor Black Coin Ramp and Transition Flap Screwless Aluminum Walls Screwless Aluminum Ceiling Stacker Cove Molding (1) 12V Roof Vent Smooth Aluminum Radius Wheel Boxes (4) 5000# Recessed Floor D-Rings (4) 6000# Recessed Lift D-Rinas 8' Lower Cabinet \Box 8' Upper Cabinet with Lower Radius Trim Top Hinged Cabinetry with Gas Struts on Doors N 30 Amp Breaker/60 Amp Converter/ 12V Fuse Panel ||||Exterior Power Inlet (Motorbase) with 25' Shorecord (2) Battery - 12V AGM (930 CA, 775 CCA) \vdash Z In Floor Battery Compartment Manual Power Cut Off Switch (1) Exterior GFI Protected Recept (3) Interior GFI Protected Recepts (4) 12V 18" Recessed LED Lights Pair of 3-Way Switches for 18" LED Lights Front and Rear Stacker Control Plugs In Cabinet Hydraulic Lift Tank 14' Aluminum Stacker Lift w/ Tilt Deck Feature & Split Rail (Turn into a full deck by purchasing optional removable inserts) 4" Upper Rub Rail Trim 7" Lower Rub Rail Trim \cap Polished Aluminum Cast Corners \Box
- Stainless Steel Verticals and Top Radius
- .040 Screwless Aluminum Exterior Ω.
- One Piece Aluminum Roof Ш
- 36" Side Door FMVSS Lock
- HD Rear Ramp Door w/ Transition Flap 6000# Capacity
- Aluminum Bar Locks and Stainless Steel Hasps ĹIJÌ
- 48" High ATP Stoneguard with J-Rail
- LED Clearance and Brake Lights

OUEST ST305

*Highlighted Features Show Upgrades Over the ST205

- Full Perimeter Frame Full Perimeter Skirting with Polished Fenderettes
- Integrated Reverse Beavertail
- 12" Extended Tongue
- All Tube Construction
- 111 Beavertail
- \geq 16" O/C Floor Crossmembers
- 16" O/C Wall Supports
- \triangleleft 16" 0/C Roof Crossmembers
- N 10' Interior Height
- Torsion Axles EZ Lube With Brakes 11
- Spread Axle Design with Fenderettes HD Stabilizer Jacks 7-Way Plug 2-5/16" Heavy Duty Flat Nose Coupler
- Radial Tires on Aluminum Wheel
- Black Coin TPO Floor Black Coin TPO Ramp and Transition Flap
- Screwless Aluminum Walls Screwless Aluminum Ceiling
- Stacker Cove Molding (1) 12V Roof Vent
- Smooth Aluminum Radius Wheel Boxes
- (4) 5000# Recessed Floor D-Rings
- (4) 6000# Recessed Lift D-Rings
- Ľ 8' Lower Cabinet
- \Box 8' Upper Cabinet with Lower Radius Trim
 - Top Hinged Cabinetry with Gas Struts on Doors
- N In Floor Spare Tire Compartment
- 50 Amp Breaker/60 Amp Converter/ 12V Fuse Panel 111
- Exterior Power Inlet (Motorbase) with 25' Shorecord \vdash
- (2) Battery 12V AGM (930 CA, 775 CCA) Z
 - In Floor Battery Compartment Manual Power Cut Off Switch (1) Exterior GFI Protected Recept
 - (3) Interior GFI Protected Recepts (4) 12V 18" Recessed LED Lights
 - Pair of 3-Way Switches for 18" LED Lights Front and Rear Stacker Control Plugs
 - In Cabinet Hydraulic Lift Tank 14' Aluminum Stacker Lift w/ Tilt Deck Feature & Split Rail
 - (Turn into a full deck by purchasing optional removable inserts)
 - (2) 12V Exterior High Output LED Scene Lights 4" Upper Rub Rail Trim
- 7" Lower Rub Rail Trim N
- Polished Aluminum Cast Corners \Box
- Stainless Steel Verticals and Top Radius
 - .050 Screwless Aluminum Exterior One Piece Aluminum Roof
- Ш 36" Side Door - FMVSS Lock
- \vdash Aluminum Slide in/out Step
- \times HD Rear Ramp Door w/ Transition Flap - 6000# Capacity ĹIJÌ Stainless Steel Rear Paddle Latches
 - 48" High ATP Stoneguard with J-Rail
 - LED Clearance and Brake Lights

OUEST ST405 *Highlighted Features Show Upgrades Over the ST305

- Full Perimeter Frame
- Full Perimeter Skirting w/Polished Fenderettes Integrated Reverse Beavertail
- 12" Extended Tongue
- All Tube Construction
- 111 Beavertail
 - 16" 0/C Floor Crossmembers
- \geq 16" 0/C Wall Supports
- \triangleleft 16" O/C Roof Crossmembers
- N 10' Interior Height
- Torsion Axles EZ Lube With Brakes 11 Spread Axles Design with Fenderettes
 - HD Stabilizer Jacks
 - 7-Way Plug
 - 2-5/16" Heavy Duty Flat Nose Coupler
 - Radial Tires on Aluminum Wheel

_	- Extruded Aluminum Floor
	Extruded Aluminum Ramp and Transition Flap
	Screwless Aluminum Walls
	Screwless Aluminum Ceiling
	Insulated Walls and Ceiling - 1" EPS
	Stacker Cove Molding
	(1) 12V Roof Vent
	Smooth Aluminum Radius Wheel Boxes
	(4) 6000# Recessed Floor D-Rings
	(4) 6000# Recessed Lift D-Rings
ſĽ	8' Lower Cabinet
	8' Upper Cabinet with Lower Radius Trim
INTERIO	Top Hinged Cabinetry with Gas Struts on Doors
N	(2) Single 5" Drawer Units Integrated into Lower Cabinet
	Aluminum Dresser Closet - 1/2 Height
<u> </u>	In Floor Spare Tire Compartment
\vdash	50 Amp Breaker/60 Amp Converter/ 12V Fuse Panel
Z	Exterior Power Inlet (Motorbase) with 25' Shorecord
—	(3) Battery - 12V AGM (930 CA, 775 CCA)
	In Floor Battery Compartment
	Manual Power Cut Off Switch
	(1) Exterior GFI Protected Recept
	(3) Interior GFI Protected Recepts
	(4) 12V 18" Recessed LED Lights
	Pair of 3-Way Switches for 18" LED Lights
	Front and Rear Stacker Control Plugs
	In Cabinet Hydraulic Lift Tank
	14' Aluminum Stacker Lift w/ Tilt Deck Feature & Split Rail
	 (Turn into a full deck by purchasing optional removable inserts)
_	- (2) 12V Exterior High Output LED Scene Lights
	4" Upper Rub Rail Trim
	7" Lower Rub Rail Trim
N	Polished Aluminum Cast Corners
	Stainless Steel Verticals and Top Radius
ERIOR	6" Color Match Rear Spoiler with (3) LED Lights
Ľ	.050 Screwless Aluminum Exterior
Ш	One Piece Aluminum Roof
\vdash	36" Side Door - FMVSS Lock

- \vdash 36" Side Door - FMVSS Lock
- \times Aluminum Slide in/out Step
- Ш HD Rear Ramp Door w/ Transition Flap - 6000# Capacity Stainless Steel Rear Paddle Latches 48" High ATP Stoneguard with J-Rail
- LED Clearance and Brake Lights

