



NAMR

ROUND TOP / SLANT *Motorcycle Trailer*

STANDARD FEATURES


- All Aluminum Deep V-nose Slant; Bike/UTV
- Dexter Sprung Axles, Brakes on Tandems
- Integrated Triple Tube Tongue and Frame
- Ramp Door - NXP Stainless Latch System
- ProFlap™ Ramp-Door Flap, Outside Hinge
- ProStab Jacks: Neo's Telescoping Stabilizers
- Sport Tie-down System, CNC Alum. L-track
- 1-Wheel Chock/4 Adjustable Lock Rings on 5'/6' Wides
- 2-Wheel Chocks/8 Adjustable Lock Rings on 7' Wides
- ProTrac, Aluminum Traction Runners
- Flushlock Curbside Door
- Bonded Exterior Skin, .030 Aluminum
- 2-Tone Exterior Aluminum, MikaD Slash
- ATP Stoneguard - 24"
- 1 Piece Aluminum Roof
- 16" O/C Walls
- 16" O/C Roof Bows
- 24" O/C Floor
- Liner: 3/4" x 12" Kickplate
- 3/4" Exterior Grade Plywood Floor
- Self Adjusting Brakes, EZ Lube Hubs(Tandems)
- Flow Through Vents
- 2" Coupler on Single Axle
- 2-5/16" Coupler on Tandem Axle
- Tongue Jack - Zinc Coated
- 12v LED Dome Light, 1/single, 2/tandem
- LED Exterior Lights
- 15" Silver Mod Radials 205 75 R15

PRICE AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
OPTIONS ADDED TO BASE UNITS DECREASE PAYLOAD CAPACITY

NAMR-4



*Shown with Standard MikaD Slash.



Shown with Standard ProTrac Runner and ProStab Jacks



Optional Cabinet, White Walls, Nudo Floor. Standard Sport Tie-down System



Shown with optional aluminum wheels and roof vent

THE SPECS

Model	Axles	CS Door	Rear Door	6" Lower Int. Ht.	Std. Ht. Int. Ht.	6" Taller Int. Ht.	12" Taller Int. Ht.	
5'	NAM85SR	2500lbs.	24"	Ramp w/NXP	60.5"	66.5"	72.5"	78.5"
	NAM105SR	2500lbs.	24"	Ramp w/NXP	60.5"	66.5"	72.5"	78.5"
6'	NAM106SR	2990lbs.	32"	Ramp w/NXP	66.5"	72.5"	78.5"	84.5"
	NAM126SR	2990lbs.	32"	Ramp w/NXP	66.5"	72.5"	78.5"	84.5"
7'	NAM127SR	2990lbs.	32"	Ramp w/NXP	66.5"	72.5"	78.5"	84.5"
	NAM127TR	2/3500lbs.	32"	Ramp w/NXP	66.5"	72.5"	78.5"	84.5"
	NAM147TR	2/3500lbs.	32"	Ramp w/NXP	66.5"	72.5"	78.5"	84.5"
	NAM167TR	2/3500lbs.	32"	Ramp w/NXP	66.5"	72.5"	78.5"	84.5"
	NAM187TR	2/3500lbs.	32"	Ramp w/NXP	66.5"	72.5"	78.5"	84.5"
	NAM207TR	2/3500lbs.	32"	Ramp w/NXP	66.5"	72.5"	78.5"	84.5"

Rear Door Opening:	6" Lower	Std. Ht.	6" Taller	12" Taller
5'	52"W x 55.25"H	52"W x 61.25"H	52"W x 67.25"H	52"W x 73.25"H
6'	64"W x 61.25"H	64"W x 67.25"H	64"W x 73.25"H	64"W x 79.25"H
7'	76"W x 61.25"H	76"W x 67.25"H	76"W x 73.25"H	76"W x 79.25"H

*NAMR - NEO Aluminum Motorcycle Round Top, S- Single Idler Axle, T - Tandem Brake Axle, R- Round Top Model



For Additional Specs & Photos, go to:

neomfg.com

e-mail: sales@neomfg.com

21900 US 12 Sturgis, MI 49091
269.503.7630



NAM75R

7.5' Wide *Motorcycle Trailer*

STANDARD FEATURES

- All Aluminum Deep V- nose Slant: UTV/Bike
- 7.5' Wide Tandem Dexter Torsion Axles
- Self Adjusting Brakes, EZ Lube Hubs
- NXP Ramp Door Stainless Steel Cam Latch
- ProFlap™ Revolutionary Ramp-Door Flap
- ProStab Jacks: Telescoping Tube Stabilizers
- Sport Tie-down System, CNC Alum. L-track
- 2-Wheel Chocks/8 Adjustable Lock Rings
- ProTrac, Aluminum Traction Runners
- 32" Flushlock Curbside Door
- Bonded Exterior Skin, .030 Aluminum
- 2-Tone Exterior Aluminum, MikaD Slash
- ATP Stoneguard - 24"
- 1 Piece Aluminum Roof
- Integrated Triple Tube Tongue
- 16" O/C Walls
- 16" O/C Roof Bows
- 24" O/C Floor
- Liner: 3/4" x 12" Kickplate
- 3/4" Exterior Grade Plywood Floor
- Flow Through Vents
- 2-5/16" Coupler, Zinc Coated
- Tongue Jack - Zinc Coated
- Two 12v LED Dome Lights
- LED Exterior Lights
- 15" Silver Mod Radials 205 75 R15



Optional DT Spoiler, NXT Aluminum Wheels and Salem Vents

THE SPECS

Model	Axles	CS Door	Rear Door	6" Lower	Standard	6" Taller	12" Taller
NAM1275TR	2-3500lbs	32"	NXP Ramp	66.5" Int Ht	72.5"	78.5"	84.5"
NAM1475TR	2-3500lbs	32"	NXP Ramp	66.5" Int Ht	72.5"	78.5"	84.5"
NAM1675TR	2-3500lbs	32"	NXP Ramp	66.5" Int Ht	72.5"	78.5"	84.5"
NAM1875TR	2-3500lbs	32"	NXP Ramp	66.5" Int Ht	72.5"	78.5"	84.5"
NAM2075TR	2-3500lbs	32"	NXP Ramp	66.5" Int Ht	72.5"	78.5"	84.5"

Rear Door Openings(Width x Height): 82"x61.25" 82"x67.25" 82"x73.25" 82"x79.25"



Standard Sport Tie Down System(L-track) & Optional NUDDO Floor.



Optional Pepsi Blue, Spare Tire and Frameless Windows



Standard ProStab Jacks, ProTrac Runners and Exterior Grade Plywood Floor



Standard 32" Flushlock Insulated Side Door, 24" Stoneguard and Optional Aluminum Wheels.

PRICE AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
OPTIONS ADDED TO BASE UNITS DECREASE PAYLOAD CAPACITY

NAM75R-4



For Additional Specs & Photos, go to:



neomfg.com

e-mail: sales@neomfg.com

21900 US 12 Sturgis, MI 49091

269.503.7630

MODEL	OUTSIDE BOX LENGTH (A)	INSIDE BOX LENGTH (B)
NAM85SR	96"	94"
NAM105SR	120"	118"




5 WIDE ROUND TOP	Rear Door Hgt (C)	Int Hgt @ Center (D)	Overall Hgt (E)
STD Height	61.25"	66.5"	87"
6" Plus Height	67.25"	72.5"	93"
12" Plus Height	73.25"	78.5"	99"
6" Negative Height	55.25"	60.5"	81"



DRAWN BY TYLER A BOURASSA	DATE 5/13/2015
------------------------------	-------------------

TRAILER MODEL: 2016 NAMR 5 WIDE
TITLE: TRAILER MEASUREMENTS
DO NOT SCALE DRAWING


MODEL	OUTSIDE BOX LENGTH (A)	INSIDE BOX LENGTH (B)
NAM106SR	120"	118"
NAM126SR	144"	142"



6 WIDE ROUND TOP	Rear Door Hgt (C)	Int Hgt @ Center (D)	Overall Hgt (E)
STD Height	67.25"	72.5"	93"
6" Plus Height	73.25"	78.5"	99"
12" Plus Height	79.25"	84.5"	105"
6" Negative Height	61.25"	66.5"	87"



TRAILER MODEL:	2016 NAMR 6 WIDE
TITLE:	TRAILER DIMENSIONS
DRAWN BY:	DATE
TYLER A BOURASSA	1/21/2021
DO NOT SCALE DRAWING	



MODEL	OUTSIDE BOX LENGTH (A)	INSIDE BOX LENGTH (B)
NAM127SR	144"	142"
NAM127TR	144"	142"
NAM147TR	168"	166"
NAM167TR	192"	190"
NAM187TR	216"	214"
NAM207TR	240"	238"




7 WIDE ROUND TOP	Rear Door Hgt (C)	Int Hgt @ Center (D)	Overall Hgt (E)
STD Height	67.25"	72.5"	93"
6" Plus Height	73.25"	78.5"	99"
12" Plus Height	79.25"	84.5"	105"
6" Negative Height	61.25"	66.5"	87"



DRAWN BY TYLER A BOURASSA	DATE 5/13/2015
------------------------------	-------------------

TRAILER MODEL:	2016 NAMR 7 WIDE
TITLE:	<i>TRAILER MEASUREMENTS</i>
DO NOT SCALE DRAWING	

DISTANCE BETWEEN WHEEL WELLS IS 82"



MODEL	OUTSIDE BOX LENGTH (A)	INSIDE BOX LENGTH (B)
NAM1275TR	144"	142"
NAM1475TR	168"	166"
NAM1675TR	192"	190"
NAM1875TR	216"	214"
NAM2075TR	240"	238"

102.00 TOTAL WIDTH
 90.00 EXT. BODY
 86.50 INT. WIDTH
 82.00 DOOR OPENING



7.5 WIDE ROUND TOP	Rear Door Hgt (C)	Int Hgt @ Center (D)	Overall Hgt (E)
STD Height	67.25"	72.5"	93"
6" Plus Height	73.25"	78.5"	99"
12" Plus Height	79.25"	84.5"	105"
6" Negative Height	61.25"	66.5"	87"



TRAILER MODEL: NAMR 7.5 WIDE

TITLE: TRAILER MEASUREMENTS

DRAWN BY: TYLER A BOURASSA
 DATE: 3/2/2017

DO NOT SCALE DRAWING