



PHOTOS SHOWN WITH OPTIONAL/MODULAR EQUIPMENT



CONFIGURABLE FEATURES YOU NEED MOST

ATC's new Stō 350 Cargo trailer with LifeTrac introduces a whole new way to effortlessly transport your precious gear. Our new LifeTrac modular system offers never-before-seen flexibility that allows you to add, move, or remove a full catalog of ATC accessories to your cargo trailer. Gone are the days when a cargo trailer only serves a singular purpose. You can use the Stō 350 as a simple cargo trailer, or you can transform it into a rig with all the bells and whistles. All this coupled with ATC's "tried and true" dependability makes this cargo trailer an easy decision.

Details at ATCtrailers.com STō A Trailer as Dependable as You Are!

STANDARD ON ALL Stō 350 MODELS:

- ATC LifeTrac wall design and dual track system
- 2 ft. slant wedge nose with taper-cut gravel guard
- 3/8" engineered wood walls on all models
- Ramp door w/ transition flap & aluminum bar locks
- Ultra wide ramp door opening
- Aluminum wheels
- All-tube construction

BASE MODELS

Stō 350 Cargo Hauler 6' Wide

6' x 10' + 2' - 2900# Axle
 6' x 10' + 2' - 3500# Axle
 6' x 12' + 2' - 2900# Axle
 6' x 12' + 2' - 3500# Axle

Stō 350 Cargo Hauler 6.7' Wide

6.7' x 12' + 2' - 3500# Axle
 6.7' x 12' + 2' - 5200# Axle
 6.7' x 14' + 2' - 3500# Axle
 6.7' x 14' + 2' - 5200# Axle

EXTERIOR COLORS



Polar White



Black



Silver Frost



Medium Charcoal



Light Pewter



Dove Grey

POPULAR OPTIONS

Black Trim
 Cargo Door
 Rear Spoiler w/ LED & Back Up Lights
 Reduce 6" Interior Height
 Recessed Airline Track (9'-8")
 Spare Tire 205 on Steel
 Spare Tire 205 on Aluminum
 Spare Tire 225 on Steel (6.7' Only)
 Spare Tire 225 on Aluminum (6.7' Only)
 Exterior Wall Spare Tire Mount
 2 - 49" Light Bar on Ceiling
 1 - LED Porch Light w/ Switch
 12V Powered Roof Vent (Front)

STANDARD FEATURES

Frame

Aluminum Tube Construction
 6-Sided Welded Frame
 Integrated Tongue
 16" O/C Floor Crossmembers
 ATC Cross-Grid Wall Technology
 16" O/C Roof Crossmembers
 2" x 3" Subframe Tubing
 3 Year Limited Warranty

Mechanical

Torsion Axle
 ST205 or 225 - Aluminum Wheels
 Entrance Door - 28"
 Safety Chains
 2,000# Manual Jack
 A-Frame Coupler
 2,000# Ramp Door
 Ramp Transition Flap
 Aluminum Bar Locks
 4- Airline Pods & Rings - Floor
 3" Lower and Upper Trim

Other Construction Detail

One-Piece Aluminum Roof
 .030 Screwless Aluminum Exterior
 24" Taper Cut Stoneguard
 3/8" Engineered Walls w/ Cove
 Open Stud Ceiling
 3/4" Engineered Floor
 Interior Cove Dome Light
 12" Slimline Tail Lights
 1 - Roof Vent, 1 - Roof Vent Prep
 LifeTrac - Modular Track System
 2 - Window Prep Locations (RS/CS)
 2 - Rear Stabilizer Jacks

MODULAR CATALOG

Wall Cabinets, Base Cabinets, Modular Furniture, Sinks and Toilet (Self-Contained Plumbing), and many other Modular Accessories!

STō

CARGO TRAILER 300 SERIES



PHOTOS SHOWN WITH OPTIONAL EQUIPMENT



THE FEATURES YOU NEED MOST

We've assembled the features our customers want and need most in a cargo trailer and made them all standard on our new Stō 300 Series. As a result, it's easier for you to load cargo efficiently and securely while you're on the road. Dependability and quality are also standard in our trailers, because our aluminum is pound-for-pound twice as strong as industry standard steel. It's also lighter, so your load is easier to tow with less wear and tear on your vehicle. With our BuildPro® modular fixed weld tables, the Stō 300 Series offers the highest quality and most structurally sound frame in the industry.

Details at ATCtrailers.com **STō A Trailer as Dependable as You Are!**

STANDARD ON ALL Stō 300 MODELS:

- 2 ft. slant wedge nose with taper-cut gravel guard
- 16" OC floor, wall, and roof crossmembers
- 3/8" engineered wood walls on all models
- Ramp door with transition flap standard
- Ultra wide ramp door opening
- All-tube construction
- Aluminum Wheels

BASE MODELS

Stō 300 Cargo Hauler 6' Wide

6' x 10' + 2' - 2900# Axle
 6' x 10' + 2' - 3500# Axle
 6' x 12' + 2' - 2900# Axle
 6' x 12' + 2' - 3500# Axle

Stō 300 Cargo Hauler 6.7' Wide

6.7' x 12' + 2' - 3500# Axle
 6.7' x 12' + 2' - 5200# Axle
 6.7' x 14' + 2' - 3500# Axle
 6.7' x 14' + 2' - 5200# Axle

EXTERIOR COLORS



STANDARD FEATURES

Frame

Aluminum Tube Construction
 6-Sided Welded Frame
 Integrated Tongue
 16" O/C Floor Crossmembers
 16" O/C Wall Crossmembers
 16" O/C Roof Crossmembers
 2" x 3" Subframe Tubing
 3 Year Limited Warranty

Mechanical

Torsion Axle
 ST205 or 225 - Aluminum Wheels
 Entrance Door - 28"
 Safety Chains
 2,000# Manual Jack
 A-Frame Coupler
 2,000# Ramp Door
 Ramp Transition Flap
 Aluminum Bar Locks
 4- Airline Pods & Rings - Floor
 3" Lower and Upper Trim
 Vent - Sidewall

Other Construction Detail

One-Piece Aluminum Roof
 .030 Screwless Aluminum Exterior
 24" Taper Cut Stoneguard
 3/8" Engineered Walls w/ Cove
 Open Stud Ceiling
 3/4" Engineered Floor
 Interior Cove Dome Light
 12" Slimline Tail Lights
 2- Roof Vent Prep Locations
 2- Rear Stabilizer Jacks

POPULAR OPTIONS

Black Trim Package
 Cargo Door Package
 Rear Spoiler w/ 3 LED & Back Up Lights
 Reduce 6" Interior Height
 Recessed Airline Track (9'-8")
 Spare Tire 205 on Steel
 Spare Tire 205 on Aluminum
 Spare Tire 225 on Steel (6.7' Only)
 Spare Tire 225 on Aluminum (6.7' Only)
 Interior Wall Spare Tire Mount
 (2) 49" Light Bars in Cove
 12v Powered Roof Vent (Front)